

**DZ-BLUNT-GRANDDYPURPLE**

 Sample ID: SA-240724-44999  
 Batch: 24206GDPBGB  
 Type: Finished Product - Inhalable  
 Matrix: Plant - Flower  
 Unit Mass (g):

 Received: 07/25/2024  
 Completed: 08/07/2024

**Client**  
 Dazed  
 242 W Main St #364  
 Hendersonville, TN 37075  
 USA

**Summary**

 Test  
 Cannabinoids  
 Moisture

 Date Tested  
 08/07/2024  
 08/05/2024

 Status  
 Tested  
 Tested

<b>0.211 %</b> Δ9-THC	<b>16.7 %</b> Δ8-THC	<b>43.9 %</b> Total Cannabinoids	<b>6.18 %</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
--------------------------	-------------------------	-------------------------------------	-----------------------------------	-------------------------------------	---

**Cannabinoids by HPLC-PDA and GC-MS/MS**

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	0.302	3.02
CBCA	0.00181	0.0054	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	0.246	2.46
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	1.77	17.7
CBGA	0.00049	0.0015	10.1	101
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	0.0823	0.823
CBNA	0.0006	0.0018	ND	ND
CBT	0.0018	0.0054	0.110	1.10
Δ4,8-iso-THC	0.00067	0.002	0.594	5.94
Δ6a,10a-THC	0.00067	0.002	10.2	102
Δ8-iso-THC	0.00067	0.002	0.763	7.63
Δ8-THC	0.00104	0.0031	16.7	167
Δ8-THCV	0.00067	0.002	0.134	1.34
Δ9-THC	0.00076	0.0023	0.211	2.11
Δ9-THCA	0.00084	0.0025	ND	ND
Δ9-THCV	0.00069	0.0021	ND	ND
Δ9-THCVA	0.00062	0.0019	ND	ND
(6aR,9R)-Δ10-THC	0.00067	0.002	1.81	18.1
(6aR,9S)-Δ10-THC	0.00067	0.002	0.824	8.24
<b>Total Δ9-THC</b>			<b>0.21115</b>	<b>2.11</b>
<b>Total</b>			<b>43.9</b>	<b>439</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 08/07/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 08/07/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.