

## DZ-BLUNT-STRAWBRYBANANA

Sample ID: SA-240724-45000  
 Batch: 24206SBPBGCB  
 Type: Finished Product - Inhalable  
 Matrix: Plant - Flower  
 Unit Mass (g):

Received: 07/25/2024  
 Completed: 08/07/2024

**Client**  
 Dazed  
 242 W Main St #364  
 Hendersonville, TN 37075  
 USA



### Summary

Test	Date Tested	Status
Cannabinoids	08/07/2024	Tested
Moisture	08/05/2024	Tested

<b>0.232 %</b> Δ9-THC	<b>22.8 %</b> Δ8-THC	<b>47.8 %</b> Total Cannabinoids	<b>6.36 %</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
--------------------------	-------------------------	-------------------------------------	-----------------------------------	-------------------------------------	---


### Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	0.311	3.11
CBCA	0.00181	0.0054	0.233	2.33
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	0.305	3.05
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	1.74	17.4
CBGA	0.00049	0.0015	7.34	73.4
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	0.106	1.06
CBNA	0.0006	0.0018	ND	ND
CBT	0.0018	0.0054	ND	ND
Δ4,8-iso-THC	0.00067	0.002	0.584	5.84
Δ6a,10a-THC	0.00067	0.002	10.5	105
Δ8-iso-THC	0.00067	0.002	0.768	7.68
Δ8-THC	0.00104	0.0031	22.8	228
Δ8-THCV	0.00067	0.002	0.133	1.33
Δ9-THC	0.00076	0.0023	0.232	2.32
Δ9-THCA	0.00084	0.0025	ND	ND
Δ9-THCV	0.00069	0.0021	ND	ND
Δ9-THCVA	0.00062	0.0019	ND	ND
(6aR,9R)-Δ10-THC	0.00067	0.002	1.91	19.1
(6aR,9S)-Δ10-THC	0.00067	0.002	0.826	8.26
<b>Total Δ9-THC</b>			<b>0.23206</b>	<b>2.32</b>
<b>Total</b>			<b>47.8</b>	<b>478</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



Generated By: Ryan Bellone  
 CCO  
 Date: 08/07/2024



Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 08/07/2024



ISO/IEC 17025:2017 Accredited  
 Accreditation #108651

