

# CERTIFICATE OF ANALYSIS



**Customer:** Cake Distro  
1007 West Grove Avenue  
Orange, CA 92865

**Batch #:** 2.0-LR:D10:CC1-510  
**Laboratory Number:** ATL-9001

**Report Issue Date:** 09/30/2022


**Order Date:** 09/14/2022

**Analysis Date:** 09/29/2022

## Sample Description:

D10 Cartridge 2g - Cherry Crumble

**Unit Weight:** 2g / Cartridge



**Extraction Technician:** LL

**Analytical Chemist:** LL

*Hernan Prieto*

Laboratory Manager

## CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.06	0	0
CBDV	<0.03	0	0
CBD-A	<0.03	0	0
CBG-A	<0.03	0	0
CBG	<0.02	0	0
CBD	<0.01	0	0
THCV	<0.01	0	0

Analyte	LOQ (mg/g)	Results mg/cartridge	%
THCV-A	<0.06	0	0
CBN	<0.03	0	0
D9-THC	<0.03	0	0
D8-THC	<0.03	1686.34	84.32
9R-D10-THC	<0.02	101.62	5.08
9S-D10-THC	<0.02	0	0
9R-HHC	<0.01	0	0

Analyte	LOQ (mg/g)	Results mg/cartridge	%
9S-HHC	<0.01	0	0
CBC	<0.06	0	0
CBC-A	<0.03	0	0
THC-A	<0.03	0	0
D9-THCP	<0.03	0	0
D8-THCO	<0.02	0	0

<b>Max Active THC</b>	mg/cartridge	%
	0	0
<b>Max Active CBD</b>	mg/cartridge	%
	0	0

<b>Total Active Cannabinoids</b>	mg/cartridge	%
	1787.96	89.40
<b>Total Cannabinoids</b>	mg/cartridge	%
	1787.96	89.40

## NOTES

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabidiolol (CBDA), Cannabigerol (CBG), Cannabigerolol (CBG), Cannabidiolol (CBD), Tetrahydrocannabinol (THC), Tetrahydrocannabinolol (THC), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), 9S-Hexahydrocannabinol (9S-HHC), 9R-Hexahydrocannabinol (9R-HHC), Cannabichromene (CBC), Cannabichromeneol (CBC), Tetrahydrocannabinolol (THC), Delta-9-Tetrahydrocannabinolol (D9-THCP), Delta-8-Tetrahydrocannabinolol (D8-THCO)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>

(954) 515 - 0200

info@accuratetestlab.com

# CERTIFICATE OF ANALYSIS



**Customer:** Cake Distro  
1007 West Grove Avenue  
Orange, CA 92865

**Batch #:** 2.0-LR:D10:CC1-510  
**Laboratory Number:** ATL-9001

**Report Issue Date:** 11/03/2022


**Order Date:** 09/14/2022

**Analysis Date:** 11/01/2022

## Sample Description:

D10 Cartridge 2g - Cherry Crumble

**Unit Weight:** 2g / Cartridge



**Extraction Technician:** HP

**Analytical Chemist:** HP

*Hernan Prieto*

Laboratory Manager

## RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-2 Dichloroethane	<LOQ	1	PASS
Acetone	<LOQ	5000	PASS
Acetonitrile	<LOQ	410	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	1	PASS
Ethyl Acetate	<LOQ	5000	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	5000	PASS
Ethylene Oxide	<LOQ	1	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	290	PASS
Isopropyl Alcohol	<LOQ	5000	PASS
Methyl Alcohol	<LOQ	3000	PASS
Methylene Chloride	<LOQ	1	PASS
n-Pentane	<LOQ	5000	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	890	PASS
Trichloroethylene	<LOQ	1	PASS
Xylenes	<LOQ	2170	PASS

## NOTES

Document ID: ATL-230 Revision: 01 Effective Date: 05/13/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-GCM-001

1-Pass/Fail statement is based on California Code of Regulations, Title 16, Section 5718. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.



info@accuratetestlab.com  
(954) 515 - 0200

# CERTIFICATE OF ANALYSIS



**Customer:** Cake Distro  
1007 West Grove Avenue  
Orange, CA 92865

**Batch #:** 2.0-LR:D10:CC1-510  
**Laboratory Number:** ATL-9001

**Report Issue Date:** 11/03/2022


**Order Date:** 09/14/2022

**Analysis Date:** 11/01/2022

## Sample Description:

D10 Cartridge 2g - Cherry Crumble

**Unit Weight:** 2g / Cartridge



**Extraction Technician:** HP

**Analytical Chemist:** HP

*Hernan Prieto*

Laboratory Manager

## PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Ethoprophos	ND	PASS	Pyrethrins	ND	PASS
Acequinocyl	ND	PASS	Etofenprox	ND	PASS	Pyridaben	ND	PASS
Acetamiprid	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	ND	PASS	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiacloprid	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Thiamethoxam	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS	Trifloxystrobin	ND	PASS
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzene	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	ND	PASS			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			

## NOTES

Bifenazate, Phosmet, Piperonyl butoxide not analyzed due to sample interference.



Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected  
T:Trace Cannabinoids detected but are below limit of quantification.

1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

Accurate Test Lab, LLC >>>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>> ☎ (954) 515 - 0200



# CERTIFICATE OF ANALYSIS



**Customer:** Cake Distro  
1007 West Grove Avenue  
Orange, CA 92865

**Batch #:** 2.0-LR:D10:CC1-510  
**Laboratory Number:** ATL-9001

**Report Issue Date:** 10/29/2022


**Order Date:** 09/14/2022

**Analysis Date:** 10/04/2022

## Sample Description:

D10 Cartridge 2g - Cherry Crumble

**Unit Weight:** 2g / Cartridge



**Extraction Technician:** HP

**Analytical Chemist:** HP

*Hernan Prieto*

Laboratory Manager

## FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	ND	<1% By Weight	PASS
Hair	ND	<1% By Weight	PASS
Insects	ND	<1% By Weight	PASS
Feces	ND	<0.5%By Weight	PASS
Packaging Contaminants	ND	<1% By Weight	PASS
Other	N/A	N/A	N/A

## NOTES

Document ID: ATL-240 Revision: 01 Effective Date:05/13/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC >>>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>> ☎ (954) 515 - 0200



# CERTIFICATE OF ANALYSIS



**Customer:** Cake Distro  
1007 West Grove Avenue  
Orange, CA 92865

**Batch #:** 2.0-LR:D10:CC1-510  
**Laboratory Number:** ATL-9001

**Report Issue Date:** 10/17/2022


**Order Date:** 09/14/2022

**Analysis Date:** 09/26/2022

## Sample Description:

D10 Cartridge 2g - Cherry Crumble

**Unit Weight:** 2g / Cartridge



**Extraction Technician:** HP

**Analytical Chemist:** HP

*Hernan Prieto*

Laboratory Manager

## MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	ND	10	<10	N/A
Yeast and Mold	ND	10	<10	PASS
Enterobacteriaceae	ND	10	<10	N/A
Staph. Aureus	ND	10	<10	N/A

## NOTES

Document ID: ATL-235 Revision: 01 Effective Date: 05/13/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: Not Applicable - CFU: Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

