



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing

1 of 5

## Exodus - Mango Melon

Sample ID: 2401EXL0062.0343

Strain: Mango Melon

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected: 01/10/2024

Received: 01/11/2024

Completed: 01/15/2024

Batch#:

Client

**Exodus**

Lic. #

1920 E Warner Ave

Santa Ana, CA 92705



### Summary

| Test              | Date Tested | Result         |
|-------------------|-------------|----------------|
| Batch             |             | Pass           |
| Cannabinoids      | 01/12/2024  | Complete       |
| Heavy Metals      | 01/12/2024  | Pass           |
| Microbials        | 01/15/2024  | Pass           |
| Mycotoxins        | 01/15/2024  | Pass           |
| GCMS Pesticides   | 01/15/2024  | Pass           |
| LCMS Pesticides   | 01/15/2024  | Pass           |
| Residual Solvents | 01/12/2024  | Pass           |
| Water Activity    | 01/12/2024  | 0.40 aw - Pass |

### Cannabinoids

Complete

**253.095 mg/serving**

Total THC

**ND**

Total CBD

**375.154 mg/serving**

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result | Result | Result     | Result     |
|-----------|-------|-------|--------|--------|------------|------------|
|           | mg/g  | mg/g  | %      | mg/g   | mg/serving | mg/package |
| CBC       | 0.125 | 0.250 | ND     | ND     | ND         | ND         |
| CBD       | 0.125 | 0.250 | ND     | ND     | ND         | ND         |
| CBDa      | 0.125 | 0.250 | ND     | ND     | ND         | ND         |
| CBDV      | 0.125 | 1.000 | ND     | ND     | ND         | ND         |
| CBDVa     | 0.257 | 0.780 | ND     | ND     | ND         | ND         |
| CBG       | 0.125 | 0.500 | ND     | ND     | ND         | ND         |
| CBGa      | 0.125 | 0.250 | ND     | ND     | ND         | ND         |
| CBN       | 0.125 | 0.250 | ND     | ND     | ND         | ND         |
| Δ8-THC    | 0.125 | 0.500 | 5.4078 | 54.078 | 248.759    | 4975.173   |
| Δ9-THC    | 0.125 | 0.500 | ND     | ND     | ND         | ND         |
| THCa      | 0.250 | 0.500 | 0.1075 | 1.075  | 4.945      | 98.901     |
| THC-b     | 0.257 | 0.780 | <LOQ   | <LOQ   | <LOQ       | <LOQ       |
| THCV      | 0.250 | 0.500 | 1.3145 | 13.145 | 60.469     | 1209.376   |
| Total THC |       |       | 5.502  | 55.021 | 253.095    | 5061.909   |
| Total CBD |       |       | ND     | ND     | ND         | ND         |
| Total CBG |       |       | 0.000  | 0.000  | 0.000      | 0.000      |
| Total     |       |       | 8.156  | 81.555 | 375.154    | 7503.082   |

Date Tested: 01/12/2024

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001



*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
01/15/2024

Bryan Zahakaylo  
Analyst  
01/15/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
<http://excelbislabs.com>  
Lic# C8-0000059-LIC

QA Testing

2 of 5

## Exodus - Mango Melon

Sample ID: 2401EXL0062.0343

Strain: Mango Melon

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected: 01/10/2024

Received: 01/11/2024

Completed: 01/15/2024

Batch#:

Client

**Exodus**

Lic. #

1920 E Warner Ave

Santa Ana, CA 92705

## Cannabinoids

Complete

| Analyte      | LOD   | LOQ   | Mass          | Mass          | Mass       | Mass         |
|--------------|-------|-------|---------------|---------------|------------|--------------|
|              | mg/g  | mg/g  | %             | mg/g          | mg/serving | mg/container |
| HHC          | 0.257 | 0.780 | 1.3389        | 13.389        | 61.590     | 1231.797     |
| THCp         | 0.257 | 0.780 | ND            | ND            | ND         | ND           |
| THC-b        | 0.257 | 0.780 | <LOQ          | <LOQ          | <LOQ       | <LOQ         |
| <b>Total</b> |       |       | <b>1.3389</b> | <b>13.389</b> |            |              |

EXCELBIS  
LABS

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.  
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001



*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
01/15/2024

Bryan Zahakaylo  
Analyst  
01/15/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing

3 of 5

## Exodus - Mango Melon

Sample ID: 2401EXL0062.0343

Strain: Mango Melon

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected: 01/10/2024

Received: 01/11/2024

Completed: 01/15/2024

Batch#:

Client

**Exodus**

Lic. #

1920 E Warner Ave

Santa Ana, CA 92705

### GC Pesticides

Pass

| Analyte                              | LOD    | LOQ    | Limit  | Mass | Status |
|--------------------------------------|--------|--------|--------|------|--------|
|                                      | µg/g   | µg/g   | µg/g   | µg/g |        |
| Captan                               | 0.231  | 0.7    | 0.7    | ND   | Pass   |
| Chlordane (trans + cis)              | 0.0116 | 0.035  | 0.0116 | ND   | Pass   |
| Chlorfenapyr                         | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Cyfluthrin                           | 0.0231 | 0.07   | 2      | ND   | Pass   |
| Cypermethrin                         | 0.0231 | 0.07   | 1      | ND   | Pass   |
| Parathion Methyl                     | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Pentachloronitrobenzene (Quintozene) | 0.0231 | 0.07   | 0.1    | ND   | Pass   |

### Mycotoxins

Pass

| Analytes         | LOD    | LOQ     | Limit | Conc. | Status |
|------------------|--------|---------|-------|-------|--------|
|                  | PPB    | PPB     | PPB   | PPB   |        |
| Aflatoxin B1     | 1.7000 | 5.0000  |       | ND    | Tested |
| Aflatoxin B2     | 1.7000 | 5.0000  |       | ND    | Tested |
| Aflatoxin G1     | 1.7000 | 5.0000  |       | ND    | Tested |
| Aflatoxin G2     | 1.7000 | 5.0000  |       | ND    | Tested |
| Ochratoxin A     | 6.6000 | 20.0000 | 20    | ND    | Pass   |
| Total Aflatoxins |        |         | 20    | ND    | Pass   |

### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

### Heavy Metals

Pass

| Analyte | LOD    | LOQ   | Limit | Conc. | Status |
|---------|--------|-------|-------|-------|--------|
|         | PPM    | PPM   | PPM   | PPM   |        |
| Arsenic | 0.0165 | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0165 | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.0413 | 0.125 | 0.5   | ND    | Pass   |
| Mercury | 0.0033 | 0.01  | 0.1   | ND    | Pass   |

GCMS Date Tested: 01/15/2024

Pesticides: GC-MS/MS, GCMS Method GCP-SOP-001

LCMS Date Tested: 01/15/2024

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 01/15/2024

Microbials Footnote: Microbial: PCR-SOP-001

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 01/12/2024

Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001



*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
01/15/2024

Bryan Zahakaylo  
Analyst  
01/15/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing

4 of 5

## Exodus - Mango Melon

Sample ID: 2401EXL0062.0343

Strain: Mango Melon

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected: 01/10/2024

Received: 01/11/2024

Completed: 01/15/2024

Batch#:

Client

**Exodus**

Lic. #

1920 E Warner Ave

Santa Ana, CA 92705

### LC Pesticides

Pass

| Analyte               | LOD   | LOQ  | Limit | Mass | Status | Analyte                                     | LOD    | LOQ  | Limit | Mass | Status |
|-----------------------|-------|------|-------|------|--------|---------------------------------------------|--------|------|-------|------|--------|
|                       | µg/g  | µg/g | µg/g  | µg/g |        |                                             | µg/g   | µg/g | µg/g  | µg/g |        |
| Abamectin             | 0.033 | 0.1  | 0.1   | ND   | Pass   | Imazalil                                    | 0.033  | 0.1  | 0.033 | ND   | Pass   |
| Acephate              | 0.033 | 0.1  | 0.1   | ND   | Pass   | Imidacloprid                                | 0.033  | 0.1  | 5     | ND   | Pass   |
| Acequinocyl           | 0.033 | 0.1  | 0.1   | ND   | Pass   | Kresoxim Methyl                             | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Acetamiprid           | 0.033 | 0.1  | 0.1   | ND   | Pass   | Malathion                                   | 0.033  | 0.1  | 0.5   | ND   | Pass   |
| Aldicarb              | 0.033 | 0.1  | 0.033 | ND   | Pass   | Metalaxyl                                   | 0.033  | 0.1  | 2     | ND   | Pass   |
| Azoxystrobin          | 0.033 | 0.1  | 0.1   | ND   | Pass   | Methiocarb                                  | 0.033  | 0.1  | 0.033 | ND   | Pass   |
| Bifenazate            | 0.033 | 0.1  | 0.1   | ND   | Pass   | Methomyl                                    | 0.033  | 0.1  | 1     | ND   | Pass   |
| Bifenthrin            | 0.033 | 0.1  | 3     | ND   | Pass   | Mevinphos                                   | 0.033  | 0.1  | 0.033 | ND   | Pass   |
| Boscalid              | 0.033 | 0.1  | 0.1   | ND   | Pass   | Myclobutanil                                | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Carbaryl              | 0.033 | 0.1  | 0.5   | ND   | Pass   | Naled                                       | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Carbofuran            | 0.033 | 0.1  | 0.033 | ND   | Pass   | Oxamyl                                      | 0.033  | 0.1  | 0.5   | ND   | Pass   |
| Chlorantraniliprole   | 0.033 | 0.1  | 10    | ND   | Pass   | Paclobutrazol                               | 0.033  | 0.1  | 0.033 | ND   | Pass   |
| Chlorpyrifos          | 0.033 | 0.1  | 0.033 | ND   | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1  | 0.5   | ND   | Pass   |
| Clofentezine          | 0.033 | 0.1  | 0.1   | ND   | Pass   | Phosmet                                     | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Coumaphos             | 0.033 | 0.1  | 0.033 | ND   | Pass   | Piperonyl Butoxide                          | 0.033  | 0.1  | 3     | ND   | Pass   |
| Daminozide            | 0.033 | 0.1  | 0.033 | ND   | Pass   | Prallethrin                                 | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Diazinon              | 0.1   | 0.1  | 0.1   | ND   | Pass   | Propiconazole                               | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Dichlorvos            | 0.033 | 0.1  | 0.033 | ND   | Pass   | Propoxur                                    | 0.033  | 0.1  | 0.033 | ND   | Pass   |
| Dimethoate            | 0.033 | 0.1  | 0.033 | ND   | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5   | ND   | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1  | 2     | ND   | Pass   | Pyridaben                                   | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Ethoprophos           | 0.033 | 0.1  | 0.033 | ND   | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Etofenprox            | 0.033 | 0.1  | 0.033 | ND   | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Etoxazole             | 0.033 | 0.1  | 0.1   | ND   | Pass   | Spiromesifen                                | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Fenhexamid            | 0.033 | 0.1  | 0.1   | ND   | Pass   | Spirotetramat                               | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Fenoxycarb            | 0.033 | 0.1  | 0.033 | ND   | Pass   | Spiroxamine                                 | 0.033  | 0.1  | 0.033 | ND   | Pass   |
| Fenpyroximate         | 0.033 | 0.1  | 0.1   | ND   | Pass   | Tebuconazole                                | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Fipronil              | 0.033 | 0.1  | 0.033 | ND   | Pass   | Thiacloprid                                 | 0.033  | 0.1  | 0.033 | ND   | Pass   |
| Flonicamid            | 0.033 | 0.1  | 0.1   | ND   | Pass   | Thiamethoxam                                | 0.033  | 0.1  | 5     | ND   | Pass   |
| Fludioxonil           | 0.033 | 0.1  | 0.1   | ND   | Pass   | Trifloxystrobin                             | 0.033  | 0.1  | 0.1   | ND   | Pass   |
| Hexythiazox           | 0.033 | 0.1  | 0.1   | ND   | Pass   |                                             |        |      |       |      |        |

LCMS Date Tested: 01/15/2024

Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001



*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
01/15/2024

Bryan Zahakaylo  
Analyst  
01/15/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
<http://excelbislabs.com>  
Lic# C8-0000059-LIC

QA Testing

5 of 5

## Exodus - Mango Melon

Sample ID: 2401EXL0062.0343

Strain: Mango Melon

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected: 01/10/2024

Received: 01/11/2024

Completed: 01/15/2024

Batch#:

Client

**Exodus**

Lic. #

1920 E Warner Ave

Santa Ana, CA 92705

## Residual Solvents

Pass

| Analyte                 | LOD     | LOQ     | Limit | Conc. | Status |
|-------------------------|---------|---------|-------|-------|--------|
|                         | µg/g    | µg/g    | µg/g  | µg/g  |        |
| Acetone                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Acetonitrile            | 15.4688 | 46.875  | 410   | ND    | Pass   |
| Benzene                 | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Butane                  | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Chloroform              | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| 1, 2-Dichloroethane     | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethanol                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Acetate           | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Ether             | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethylene Oxide          | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Heptane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Hexane                  | 15.4688 | 46.875  | 290   | ND    | Pass   |
| Isopropyl Alcohol       | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Methanol                | 15.4688 | 46.875  | 3000  | ND    | Pass   |
| Methylene Chloride      | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Pentane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Propane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Toluene                 | 15.4688 | 46.875  | 890   | ND    | Pass   |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170  | ND    | Pass   |
| Trichloroethylene       | 0.1547  | 0.4688  | 1     | ND    | Pass   |

EXCELBIS  
LABS

Date Tested: 01/12/2024

Residual Solvents: HS-GC-MS RS Method RS-SOP-001



*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
01/15/2024

Bryan Zahakaylo  
Analyst  
01/15/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.