

KCA Laboratories

232 North Plaza Drive Nicholasville, KY 40356 +1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

BRIXZ-FLWR-A-PLATINUMOG

Sample ID: SA-250814-67103 Batch: 25226PGIGA1 Type: Finished Product - Inhalable Matrix: Plant - Flower

Unit Mass (g):

Received: 08/15/2025 Completed: 08/27/2025 Client Dazed 242 W Main St #364

Hendersonville, TN 37075





Summary

Test Cannabinoids Moisture **Date Tested** 08/27/2025 08/27/2025

Status Tested Tested

0.111 % Δ9-THC **35.9 %** Δ9-THCA

42.5 %
Total Cannabinoids

6.32 % Moisture Content

Not TestedForeign Matter

Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	0.312	3.12
CBCA	0.00181	0.0054	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	ND	ND
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	1.48	14.8
CBGA	0.00049	0.0015	4.43	44.3
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	0.0282	0.282
CBNA	0.0006	0.0018	0.0533	0.533
CBT	0.0018	0.0054	0.110	1.10
Δ4,8-iso-THC	0.00067	0.002	ND	ND
Δ8-iso-THC	0.00067	0.002	ND	ND
Δ8-ΤΗС	0.00104	0.0031	ND	ND
Δ8-THCV	0.00067	0.002	ND	ND
Δ9-ΤΗС	0.00076	0.0023	0.111	1.11
Δ9-ΤΗCΑ	0.00084	0.0025	35.9	359
Δ9-THCV	0.00069	0.0021	ND	ND
Δ9-THCVA	0.00062	0.0019	0.0920	0.920
exo-THC	0.00067	0.002	ND	ND
Total Δ9-THC			31.6043	316
Total			42.5	425

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 08/27/2025 Tested By: Scott Caudill Laboratory Manager Date: 08/27/2025









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.