

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

BRIXZ-FLWR-A-SOURPATCH

Sample ID: SA-250814-67105 Batch: 25226SP1GA1 Type: Finished Product - Inhalable Matrix: Plant - Flower

Unit Mass (g):

Received: 08/15/2025 Completed: 08/27/2025 Client
Dazed
242 W Main St #364
Hendersonville, TN 37075





Summary Test

Test Date Tested
Cannabinoids 08/27/2025
Moisture 08/27/2025

Status Tested Tested

0.113 % Δ9-THC **35.4 %** Δ9-THCA

43.6 %
Total Cannabinoids

6.87 % Moisture Content

Not TestedForeign Matter

Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (% dry) | Result (mg/g dry) |
|--------------|------------|------------|-------------------|----------------------|
| CBC | 0.00095 | 0.0028 | 0.359 | 3.59 |
| CBCA | 0.00181 | 0.0054 | ND | ND |
| CBCV | 0.0006 | 0.0018 | ND | ND |
| CBD | 0.00081 | 0.0024 | ND | ND |
| CBDA | 0.00043 | 0.0013 | ND | ND |
| CBDV | 0.00061 | 0.0018 | ND | ND |
| CBDVA | 0.00021 | 0.0006 | ND | ND |
| CBG | 0.00057 | 0.0017 | 1.84 | 18.4 |
| CBGA | 0.00049 | 0.0015 | 5.58 | 55.8 |
| CBL | 0.00112 | 0.0033 | ND | ND |
| CBLA | 0.00124 | 0.0037 | ND | ND |
| CBN | 0.00056 | 0.0017 | 0.0288 | 0.288 |
| CBNA | 0.0006 | 0.0018 | 0.0554 | 0.554 |
| СВТ | 0.0018 | 0.0054 | 0.0762 | 0.762 |
| Δ4,8-iso-THC | 0.00067 | 0.002 | ND | ND |
| Δ8-iso-THC | 0.00067 | 0.002 | ND | ND |
| Δ8-ΤΗС | 0.00104 | 0.0031 | ND | ND |
| Δ8-ΤΗCV | 0.00067 | 0.002 | ND | ND |
| Δ9-ΤΗС | 0.00076 | 0.0023 | 0.113 | 1.13 |
| Δ9-ΤΗCΑ | 0.00084 | 0.0025 | 35.4 | 354 |
| Δ9-ΤΗCV | 0.00069 | 0.0021 | ND | ND |
| Δ9-ΤΗCVA | 0.00062 | 0.0019 | 0.0995 | 0.995 |
| exo-THC | 0.00067 | 0.002 | ND | ND |
| Total Δ9-THC | | | 31.1655 | 312 |
| Total | | 7 | 43.6 | 436 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 08/27/2025 Tested By: Scott Caudill Laboratory Manager Date: 08/27/2025





PJLA
Testing
ISO/IEC 17025:2017 Accredited
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.