CERTIFICATE OF ANALYSIS



Honest PPD

Customer: 1038 Arlington St

Orlando, FL 32805

Batch #: DPSCNR24032001

Laboratory Number: ATL-20561

Report Issue Date: 4/19/2024

Order Date: 4/17/2024

Analysis Date: 4/19/2024

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang

Sample Description:

Diet P's 1g Cart - Nana Rose

Unit Weight: 1g / Cartridge

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
тнсу	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
9S-HHC	<0.009	117.470	11.747
9R-HHC	<0.013	314.170	31.417
СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	421.870	42.187
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
98-ННСР	<0.010	N/D	N/D
9R-ННСР	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

Max Active	ТНС	mg/cartridge N/D	% N/D
Max Active	CBD	mg/cartridge N/D	% N/D

Total Active	mg/cartridge	%
Cannabinoids	853.51	85.35
Total	mg/cartridge	%
Cannabinoids	853.51	85.35

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarinic Acid(CBDVA) Cannabidivarinic Acid(CBDVA) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabidiolic CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBD) Delta-8-Tetrahydrocannabinol(Delta-8-Tet

Document ID: ATL-225A Revision: 03 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

