+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

DZ-2GDISP-GOLDDAWG

Sample ID: SA-240529-41138 Batch: 24150GPT2CP

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 05/30/2024 Completed: 06/10/2024 Client

Dazed 242 W Main St #364 Hendersonville, TN 37075



Summary

Test Cannabinoids **Date Tested** 06/10/2024

Status Tested

ND Total Δ9-THC

80.3 % Δ9-ΤΗСР 93.5 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	5.30	53.0
BDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	3.52	35.2
BL	0.0112	0.0335	ND	ND
BN	0.0056	0.0169	1.11	11.1
BT	0.018	0.054	ND	ND
8-THC	0.0104	0.0312	ND	ND
8-THCP	0.0067	0.02	3.30	33.0
8-THCV	0.0067	0.02	ND	ND
9-THC	0.0076	0.0227	ND	ND
9-THCP	0.0067	0.02	80.3	803
9-THCV	0.0069	0.0206	ND	ND
otal Δ9-THC			ND	ND
otal			93.5	935

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone

Tested By: Nicholas Howard Scientist Date: 06/10/2024







CCO

Date: 06/10/2024 This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories are provide measurement uncertainty upon request.