+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

DZ-2GDAB-BEACHRINGZ

Sample ID: SA-240711-44024 Batch: 24193BRW2A1

Type: Finished Product - Inhalable Matrix: Concentrate - Crumble

Unit Mass (g):

Received: 07/12/2024 Completed: 07/22/2024 Client

Dazed 242 W Main St #364 Hendersonville, TN 37075





Summary

Test Cannabinoids

Date Tested 07/22/2024

Status Tested

1 of 1

0.109 % Δ9-ΤΗС

99.0 % Δ9-ΤΗСΑ

99.9 % Total Cannabinoids **Not Tested**

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	ND	ND
CBNA	0.006	0.0181	0.105	1.05
СВТ	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ9-THC	0.0076	0.0227	0.109	1.09
Δ9-THCA	0.0084	0.0251	99.0	990
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	0.599	5.99
Total Δ9-THC			87.0	870
Total			99.9	999

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 08/14/2024

Tested By: Nicholas Howard Scientist Date: 07/22/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.