KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

DZ-PRL-LAOGKUSH

Sample ID: SA-240620-42700 Batch: 24172LGPBAH Type: Plant Material Matrix: Plant - Preroll

Unit Mass (q):

Received: 06/21/2024 Completed: 07/02/2024 Client
Dazed
242 W Main St #364
Hendersonville, TN 37075



Summary

Test Cannabinoids Moisture Date Tested 07/02/2024 07/01/2024

Status Tested Tested

0.0920 %Total Δ9-THC

18.8 % (6aR,9R,10aR)-HHC **39.4** % Total Cannabinoids

5.92 % Moisture Content Not Tested
Foreign Matter

Yes
Internal Standard
Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	ND	ND
CBCA	0.00181	0.0054	0.200	2.00
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	ND	ND
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	1.65	16.5
CBGA	0.00049	0.0015	8.24	82.4
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	0.748	7.48
CBNA	0.0006	0.0018	ND	ND
CBT	0.0018	0.0054	0.0804	0.804
Δ8-THC	0.00104	0.0031	0.0274	0.274
Δ9-THC	0.00076	0.0023	0.0920	0.920
Δ9-THCA	0.00084	0.0025	ND	ND
Δ9-THCV	0,00069	0.0021	ND	ND
Δ9-THCVA	0.00062	0.0019	ND	ND
(6aR,9R,10aR)-HHC	0.00067	0.002	18.8	188
(6aR,9S,10aR)-HHC	0.00067	0.002	5.86	58.6
9R-HHCP	0.00067	0.002	3.42	34.2
9S-HHCP	0.00067	0.002	0.317	3.17
Total Δ9-THC			0.09205	0.920
Total			39.4	394

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THC4 * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 07/02/2024

Tested By: Nicholas Howard Scientist Date: 07/02/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.