**KCA Laboratories** 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## **DZ-FLWR-STRAWNANZ**

Sample ID: SA-240815-46579 Batch: 24228SN4GA1

Type: Finished Product - Inhalable

Matrix: Plant - Flower Unit Mass (q):

Received: 08/16/2024 Completed: 08/26/2024 Client

Dazed 242 W Main St #364 Hendersonville, TN 37075



Summary

Cannabinoids Moisture

**Date Tested** 08/26/2024 08/23/2024

Status Tested Tested

0.184 % Δ9-ΤΗС

28.2 % Δ9-ΤΗСΑ

37.7 % **Total Cannabinoids**  8.65 %

Moisture Content

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by HPLC-PDA

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0,0028	0.464	4.64
CBCA	0.00181	0.0054	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	ND	ND
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	1.77	17.7
CBGA	0.00049	0.0015	6.95	69.5
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	ND	ND
CBNA	0.0006	0.0018	ND	ND
CBT	0.0018	0.0054	0.0948	0.948
∆8-THC	0.00104	0.0031	ND	ND
∆9-THC	0.00076	0.0023	0.184	1.84
Δ9-THCA	0,00084	0.0025	28.2	282
Δ9-THCV	0.00069	0.0021	ND	ND
∆9-THCVA	0.00062	0.0019	0.104	1.04
Total Δ9-THC			24.9008	249
Total			37.7	377

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THCA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 +  $\Delta$ 9-THC =  $\Delta$ 9-THCA \* 0.877 +  $\Delta$ 9-THCA \* 0.877 +

Generated By: Ryan Bellone CCO

Date: 08/26/2024

Tested By: Nicholas Howard Scientist Date: 08/26/2024





ISO/IEC 17025:2017 Accredited



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories can provide measurement uncertainty upon request.