

PharmLabs San Diego Certificate of Analysis



Sample Opia 30mg 7-Hydroxy Shot - Classic

Sample ID SD240801-041 (97253)				Matrix Edible/Tincture (Other Cannabis Good)			
Tested for Nectris							
Sampled -		Received Jul 31, 2024			Reported Aug 02, 2024		
Analyses executed KTM		Unit Mass (g) 25.0		Num. of Servings 3		Serving Size (g) 8.33	
						Density (g/mL) 0.9937	

KTM - Kratom Analysis

Analyzed Aug 02, 2024 | Instrument HPLC VWD | Method SOP-KTM
The expanded Uncertainty of the analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	0.14	1.35	11.25	33.75	
Mitragynine (MITG)	0.018	0.054	0.01	0.09	0.75	2.25	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciocillatine (SPCL)	0.004	0.011	ND	ND	ND	ND	

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
Fri, 02 Aug 2024 10:17:43 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.