

## Ghost Emerald Blend THCH Mix

Sample ID: 2410AFL0251.1312

Internal Lab ID: ATL-24467

Client

Strain: Blue Zushi

Honest PPD

Matrix: Concentrates & Extracts

Received: 10/16/2024

Lic. #

Type: Distillate

Completed: 11/25/2024

1038 Arlington St

Unit Weight: 2 g

Batch#: EBVBZ0001

Orlando, FL 32805



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 10/18/2024  | Complete |
| Residual Solvents | 11/14/2024  | Pass     |
| Microbials        | 11/21/2024  | Pass     |
| Pesticides        | 11/12/2024  | Pass     |
| Heavy Metals      | 11/25/2024  | Pass     |
| Foreign Matter    | 11/21/2024  | Pass     |

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Basic Potency

Complete


|                        |                        |                                     |
|------------------------|------------------------|-------------------------------------|
| <b>ND</b><br>Total THC | <b>ND</b><br>Total CBD | <b>85.79%</b><br>Total Cannabinoids |
|------------------------|------------------------|-------------------------------------|

| Analyte          | LOQ  | Result | Result  | Analyte        | LOQ  | Result       | Result        |
|------------------|------|--------|---------|----------------|------|--------------|---------------|
|                  | %    | %      | mg/unit |                | %    | %            | mg/unit       |
| CBDVa            | 0.01 | ND     | ND      | 9S-HHC         | 0.01 | ND           | ND            |
| CBDV             | 0.01 | ND     | ND      | 9R-HHC         | 0.01 | ND           | ND            |
| CBDa             | 0.01 | ND     | ND      | Δ9-THCH        | 0.01 | 4.36         | 87.2          |
| CBGa             | 0.01 | ND     | ND      | Δ8-THCH        | 0.01 | ND           | ND            |
| CBG              | 0.01 | ND     | ND      | Δ9-THCP        | 0.01 | ND           | ND            |
| CBD              | 0.01 | ND     | ND      | Δ8-THCP        | 0.01 | ND           | ND            |
| THCV             | 0.01 | ND     | ND      | Δ8-THCO        | 0.01 | ND           | ND            |
| Δ8-THCV          | 0.00 | ND     | ND      | Δ9-THCO        | 0.01 | ND           | ND            |
| THCVa            | 0.01 | ND     | ND      | 9(S)-HHCP      | 0.01 | ND           | ND            |
| CBN              | 0.01 | 0.13   | 2.6     | 9(R)-HHCP      | 0.01 | ND           | ND            |
| Δ9-THC           | 0.01 | ND     | ND      | 11-Hydroxy-THC | 0.01 | ND           | ND            |
| Δ8-THC           | 0.01 | 81.30  | 1626.0  | 1(S)-H4-CBD    | 0.01 | ND           | ND            |
| (6aR,9S)-d10-THC | 0.01 | ND     | ND      | 1(R)-H4-CBD    | 0.03 | ND           | ND            |
| (6aR,9R)-d10-THC | 0.00 | ND     | ND      | Δ9-THCB        | 0.00 | ND           | ND            |
| CBC              | 0.01 | ND     | ND      | Δ8-THCB        | 0.01 | ND           | ND            |
| CBCa             | 0.01 | ND     | ND      | CBDp           | 0.01 | ND           | ND            |
| THCa             | 0.01 | ND     | ND      | <b>Total</b>   |      | <b>85.79</b> | <b>1715.8</b> |

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 10/18/2024

|   |   |                               |
|---|---|-------------------------------|
| <b>NT</b><br>Not Tested<br>Moisture Content | <b>NT</b><br>Not Tested<br>Water Activity | <b>Pass</b><br>Foreign Matter |
|---|---|-------------------------------|



  
Paulo Gonzalez  
Laboratory Manager  
11/25/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

2 of 4

## Ghost Emerald Blend THCH Mix

Sample ID: 2410AFL0251.1312

Internal Lab ID: ATL-24467

Client

Strain: Blue Zushi

Honest PPD

Matrix: Concentrates & Extracts

Received: 10/16/2024

Lic. #

Type: Distillate

Completed: 11/25/2024

1038 Arlington St

Unit Weight: 2 g

Batch#: EBVBZ0001

Orlando, FL 32805

### Pesticides


Pass

| Analyte             | Limit | Result | Status | Analyte                 | Limit  | Result | Status |
|---------------------|-------|--------|--------|-------------------------|--------|--------|--------|
|                     | PPB   | PPB    |        |                         | PPB    | PPB    |        |
| Acephate            | 100.0 | ND     | Pass   | Fipronil                | 100.0  | ND     | Pass   |
| Acequinocyl         | 100.0 | ND     | Pass   | Fludioxonil             | 100.0  | ND     | Pass   |
| Azoxystrobin        | 100.0 | ND     | Pass   | Imazalil                | 100.0  | ND     | Pass   |
| Bifenazate          | 100.0 | NR     | NT     | Kresoxim Methyl         | 100.0  | ND     | Pass   |
| Bifenthrin          | 100.0 | NR     | NT     | Malathion               | 200.0  | ND     | Pass   |
| Boscalid            | 100.0 | ND     | Pass   | Metalaxyl               | 100.0  | ND     | Pass   |
| Captan              | 700.0 | ND     | Pass   | Methiocarb              | 100.0  | ND     | Pass   |
| Carbaryl            | 500.0 | ND     | Pass   | Mevinphos               | 100.0  | ND     | Pass   |
| Carbofuran          | 100.0 | ND     | Pass   | Myclobutanil            | 1.000  | ND     | Pass   |
| Chlorantraniliprole | 1000  | ND     | Pass   | Naled                   | 250.00 | ND     | Pass   |
| Chlordane           | 100.0 | ND     | Pass   | Paclobutrazol           | 100.0  | ND     | Pass   |
| Chlorfenapyr        | 100.0 | ND     | Pass   | Parathion Methyl        | 100.0  | ND     | Pass   |
| Chlorpyrifos        | 100.0 | ND     | Pass   | Pentachloronitrobenzene | 150.00 | ND     | Pass   |
| Clofentezine        | 200.0 | ND     | Pass   | Permethrin              | 100.0  | NR     | NT     |
| Coumaphos           | 100.0 | ND     | Pass   | Phosmet                 | 100.0  | NR     | NT     |
| Cyfluthrin          | 500.0 | ND     | Pass   | Piperonyl Butoxide      | 3000   | ND     | Pass   |
| Cypermethrin        | 500.0 | ND     | Pass   | Propiconazole           | 100.0  | NR     | NT     |
| Diazinon            | 100.0 | ND     | Pass   | Propoxur                | 100.0  | ND     | Pass   |
| Dichlorvos          | 100.0 | ND     | Pass   | Pyrethrins              | 500.0  | NR     | NT     |
| Dimethoate          | 100.0 | ND     | Pass   | Pyridaben               | 200.0  | NR     | NT     |
| Dimethomorph        | 200.0 | ND     | Pass   | Spiroxamine             | 100.0  | ND     | Pass   |
| Ethoprophos         | 100.0 | ND     | Pass   | Tebuconazole            | 100.0  | ND     | Pass   |
| Etofenprox          | 100.0 | ND     | Pass   | Thiamethoxam            | 500.0  | ND     | Pass   |
| Etoxazole           | 100.0 | ND     | Pass   | Trifloxystrobin         | 100.0  | ND     | Pass   |
| Fenoxycarb          | 100.0 | ND     | Pass   |                         |        |        |        |

Date Tested: 11/12/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



  
Paulo Gonzalez  
Laboratory Manager  
11/25/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

3 of 4

## Ghost Emerald Blend THCH Mix

Sample ID: 2410AFL0251.1312

Internal Lab ID: ATL-24467

Client

Strain: Blue Zushi

Honest PPD

Matrix: Concentrates & Extracts

Received: 10/16/2024

Lic. #

Type: Distillate

Completed: 11/25/2024

1038 Arlington St

Unit Weight: 2 g

Batch#: EBVBZ0001

Orlando, FL 32805

### Microbials

Pass

| Analyte                       | LOD<br>CFU/g | Result<br>CFU/g    | Status |
|-------------------------------|--------------|--------------------|--------|
| Aerobic Bacteria              | 10           | NR                 | NT     |
| Aspergillus                   | 1            | Not Detected in 1g | NT     |
| Shiga toxin-producing E. Coli | 1            | Not Detected in 1g | NT     |
| Enterobacteriaceae            | 10           | NR                 | NT     |
| Salmonella                    | 1            | Not Detected in 1g | NT     |
| Staphylococcus aureus         | 10           | NR                 | NT     |
| Yeast & Mold                  | 10           | ND                 | NT     |

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 11/21/2024

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### Foreign Matter

Pass

| Analyte                | Limit<br>% by weight | Result<br>% by weight | Status |
|------------------------|----------------------|-----------------------|--------|
| Packaging Contaminants | 0.01                 | ND                    | Pass   |
| Insects                | 0.01                 | ND                    | Pass   |
| Feces                  | 0.005                | ND                    | Pass   |
| Mold                   | 0.01                 | ND                    | Pass   |
| FM Other               |                      | ND                    | Pass   |
| Hair                   | 0.01                 | ND                    | Pass   |

Document ID:

Date Tested: 11/21/2024

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Heavy Metals

Pass

| Analyte | LOQ<br>µg/g | Limit<br>µg/g | Result<br>µg/g | Status |
|---------|-------------|---------------|----------------|--------|
| Arsenic | 100         | 1500          | ND             | Pass   |
| Cadmium | 100         | 500           | ND             | Pass   |
| Lead    | 100         | 500           | ND             | Pass   |
| Mercury | 100         | 3000          | ND             | Pass   |

Date Tested: 11/25/2024

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez  
Laboratory Manager  
11/25/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

4 of 4

## Ghost Emerald Blend THCH Mix

Sample ID: 2410AFL0251.1312

Internal Lab ID: ATL-24467

Client

Strain: Blue Zushi

Honest PPD

Matrix: Concentrates & Extracts

Received: 10/16/2024

Lic. #

Type: Distillate

Completed: 11/25/2024

1038 Arlington St

Unit Weight: 2 g

Batch#: EBVBZ0001

Orlando, FL 32805

### Residual Solvents

Pass

| Analyte             | LOQ  | Limit | Result | Status |
|---------------------|------|-------|--------|--------|
|                     | µg/g | µg/g  | µg/g   |        |
| 1,1 Dichloroethene  | 0.7  | 8     | ND     | Pass   |
| Ethylene Dichloride | 0.2  | 2     | ND     | Pass   |
| Acetone             | 59   | 750   | ND     | Pass   |
| Acetonitrile        | 5    | 60    | ND     | Pass   |
| Benzene             | 0.08 | 1     | ND     | Pass   |
| Chloroform          | 0.2  | 2     | ND     | Pass   |
| Ethanol             | 79   | 5000  | ND     | Pass   |
| Ethyl Acetate       | 20   | 400   | ND     | Pass   |
| Ethyl Ether         | 40   | 500   | ND     | Pass   |
| Ethylene Oxide      | 0.4  | 5     | ND     | Pass   |
| Heptane             | 40   | 5000  | ND     | Pass   |
| Isopropanol         | 40   | 500   | ND     | Pass   |
| Methanol            | 20   | 250   | ND     | Pass   |
| Methylene Chloride  | 10   | 125   | ND     | Pass   |
| Butane              | 71   | 5000  | ND     | Pass   |
| Hexane              | 5    | 250   | ND     | Pass   |
| Pentane             | 59   | 750   | ND     | Pass   |
| Propane             | 165  | 5000  | ND     | Pass   |
| Toluene             | 12   | 150   | ND     | Pass   |
| Trichloroethene     | 2    | 25    | ND     | Pass   |
| Xylenes             | 12   | 150   | ND     | Pass   |


ACCURATE  
TEST LAB

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 11/14/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



  
Paulo Gonzalez  
Laboratory Manager  
11/25/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

