



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

1 of 1

Disposable 3ml - Apples and Bananas

Sample ID: 2410AFL0306.1592

Internal Lab ID: ATL-24709

Client

Strain: D8, HHCP,THCB,THCH,THCA

CKSDH LLC

Matrix: Other

Received: 10/28/2024

Lic. #

Type: Other

Completed: 10/30/2024

105 AKRON DR

Unit Weight: 3 g

Batch#: 1K5AB1

WISTON SALEM NC 27150



Summary

Test

Date Tested

Result

Batch

Cannabinoids

10/29/2024

Complete

Complete

Basic Potency

Complete

0.14%
Total THC

ND
Total CBD

81.10%
Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.01	ND	ND	9S-HHC	0.01	ND	ND
CBDV	0.01	ND	ND	9R-HHC	0.01	ND	ND
CBDa	0.01	ND	ND	Δ9-THCH	0.01	3.73	111.8
CBGa	0.01	ND	ND	Δ8-THCH	0.01	ND	ND
CBG	0.01	ND	ND	Δ9-THCP	0.01	3.58	107.5
CBD	0.01	ND	ND	Δ8-THCP	0.01	3.37	101.1
THCV	0.01	ND	ND	Δ8-THCO	0.01	ND	ND
Δ8-THCV	0.00	ND	ND	Δ9-THCO	0.01	ND	ND
THCVa	0.01	ND	ND	9(S)-HHCP	0.01	0.36	10.9
CBN	0.01	ND	ND	9(R)-HHCP	0.01	1.05	31.4
Δ9-THC	0.01	ND	ND	11-Hydroxy-THC	0.01	ND	ND
Δ8-THC	0.01	65.19	1955.7	1(S)-H4-CBD	0.01	ND	ND
(6aR,9S)-d10-THC	0.01	ND	ND	1(R)-H4-CBD	0.03	ND	ND
(6aR,9R)-d10-THC	0.00	ND	ND	Δ9-THCB	0.00	3.66	109.8
CBC	0.01	ND	ND	Δ8-THCB	0.01	ND	ND
CBCa	0.01	ND	ND	CBDp	0.01	ND	ND
THCa	0.01	0.16	4.7	Total		81.10	2432.9

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 10/29/2024

NT
Not Tested
Moisture Content

NT
Not Tested
Water Activity

Not Tested
Foreign Matter



Paulo Gonzalez
Laboratory Manager
10/30/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

