

Certificate of Analysis

Produced: Apr 23, 2025

Sample: Poppi gushy grape 210mg (Concentrate) • Client: Exodus Enterprises • Batch: Pass



Matrix: Concentrate
Sample ID: ICC-250421-23-004
Collected on: Apr 21, 2025
Received on: Apr 21, 2025
Batch Size:
Sample Size:
Received By: Rebecca Fischer
Package Size: 3.11 g
Serving Size: 0.26 g

Batch Result: Pass

Alkaloids	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Kratom Potency: 20.3 mg/srv

KRAT-PREP-001: KRAT-PREP-001: Kratom Potency • Apr 22, 2025

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	LOD/LOQ (mg/g)	Pass/Fail
Mitragynine	0.137	1.64	0.0526	0.0332/0.405	N/A	Corynantheidine	0.122	1.46	0.0468	0.0516/0.409	N/A
Paynantheine			ND	0.0237/0.405	N/A	Speciociliatine			ND	0.0413/0.405	N/A
Speciogynine			ND	0.0368/0.405	N/A	7-OH-Mitragynine	20.0	239	7.70	0.0304/0.405	N/A

Compliance requirements for this test are taken from No Compliance regulations.



RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Apr 22, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.140/0.427	Pass	Hexane	290	ND	0.0554/0.236	Pass
Acetone	5000	ND	14.3/43.0	Pass	Isopropyl alcohol	5000	ND	1.07/3.22	Pass
Acetonitrile	410	< LOQ	0.101/0.301	Pass	Methanol	3000	526	2.49/7.48	Pass
Benzene	1	ND	0.0176/0.0536	Pass	Methylene chloride	1	ND	0.107/0.612	Pass
Butane	5000	< LOQ	0.815/4.07	Pass	Pentane	5000	ND	0.807/3.58	Pass
Chloroform	1	ND	0.0302/0.0906	Pass	Propane	5000	ND	3.72/11.2	Pass
Ethanol	5000	ND	2.19/6.58	Pass	Toluene	890	< LOQ	0.0739/0.725	Pass
Ethyl acetate	5000	189	0.263/1.92	Pass	Trichloroethylene	1	ND	0.0151/0.122	Pass
Ethylene oxide	1	ND	0.128/0.486	Pass	o-Xylene		25.1	0.0845/0.719	N/A
Ethyl ether	5000	ND	0.993/2.98	Pass	p- and m-Xylene		49.6	0.0969/1.44	N/A
Heptane	5000	ND	0.577/2.40	Pass	Total xylenes	2170	74.7		Pass

Compliance requirements for this test are taken from California Cannabis regulations.

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Apr 22, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	0.2	ND	0.00300/0.00900	Pass	Lead	0.5	0.0470	0.00100/0.00400	Pass
Cadmium	0.2	ND	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Apr 22, 2025

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Salmonella spp.	ND	Pass	Shiga toxin-producing E. coli	ND	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

MICR-004, MICR-006: MICR-004, MICR-006: Petrifilm-Rapid Yeast & Mold • Apr 23, 2025

Analyte	Amt	Pass/Fail
Yeast & Mold	ND	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Apr 23, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.96/8.98	N/A	Aflatoxin G2		ND	2.07/6.26	N/A
Aflatoxin B2		ND	3.36/10.2	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.73/5.25	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Apr 22, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					

Compliance requirements for this test are taken from California Cannabis regulations.



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Apr 23, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00898/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Imidacloprid	5	ND	0.0109/0.0331	Pass
Acequinocyl	0.1	ND	0.0150/0.0456	Pass	Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Malathion	0.5	ND	0.00313/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Metalaxyl	2	ND	0.00467/0.0300	Pass
Azoxystrobin	0.1	ND	0.00530/0.0300	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Methomyl	1	ND	0.00879/0.0300	Pass
Bifenthrin	3	ND	0.00439/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Boscalid	0.1	ND	0.00809/0.0300	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Piperonylbutoxide	3	ND	0.00267/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Diazinon	0.1	ND	0.00475/0.0300	Pass	Propiconazole	0.1	ND	0.00909/0.0300	Pass
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Spinosad	0.1	ND	0.000830/0.0300	Pass
Etoxazole	0.1	ND	0.00365/0.0300	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass					

Compliance requirements for this test are taken from California Cannabis regulations.



DM