1 of 1



B Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Memory Lane 1G THCA PreRoll - Sugar Plum

Sample ID: HR20250690835 Strain: Sugar Plum Matrix: Plant Type: Preroll Sample Size: ; Batch:

Produced: Collected: 06/13/2025 Received: 06/13/2025 Completed: 06/20/2025 Batch#:

Client



Summary Test Batch Cannabinoids Moisture

06/13/2025 06/13/2025

Date Tested

Result Complete Complete 9.82%

Cannabinoids

Complete

29.47%			ND			30.30%	
Total THC			Total CBD			Total Cannabinoids	
Analyte	LOD	LOQ	Result	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	
THCa	0.20000	0.61000	33.27	332.66			
Δ9-THC	0.15000	0.45000	0.29	2.93			
Δ8-THC	0.14000	0.42000	ND	ND			
THCV	0.15000	0.44000	ND	ND			
CBDa	0.10000	0.31000	ND	ND			
CBD	0.15000	0.45000	ND	ND			
CBN	0.16000	0.50000	ND	ND		_	
CBGa	0.29000	0.88000	0.95	9.53			
CBG	0.13000	0.39000	ND	ND			
CBC	0.14000	0.42000	ND	ND			
Total THC			29.47	294.67	0.00	0.00	
Total CBD			ND	ND	ND	ND	
Total			30.30	303.03	0.00	0.00	
Sum of Cannabinoids			34.51	345.12			

Determination of Cannabinoids by HPLC, HL223

Total THC = $\Delta 9$ -THCa * 0.877 + CBD ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Ming Li - General Manager 06/20/2025

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.